#### NATIONAL INSTITUTE OF PLANT GENOME RESEARCH

(An Autonomous Research Institution of the Department of Biotechnology Ministry of Science and Technology, Govt. of India) Aruna Asaf Ali Marg, New Delhi – 110 067 Phone: 26735139, 26735141 Fax: 26741658, 26741146

#### TENDER NOTICE Tender No. 8/2018-19/NIPGR/S&P

Online tenders (in two bid system) are invited on behalf of the Director, NIPGR from manufactures or their authorized dealer for the Supply, Installation, Testing & Commissioning of 41 nos. of CCTV Cameras with accessories at NIPGR Campus, Aruna Asaf Ali Marg, New Delhi 110067.

Sl.No.	Estimated Cost (in ₹)	EMD (in ₹)	Time for Completion	Date&TimeofPre-BidMeeting	Last Date & Time for Sale of Tender Documents	Date & Time of Submission / Opening of Tenders
1	21.50 Lakhs	43,000/-	2 Weeks	11/09/2018 1200 Hrs.	21/09/2018 1600 Hrs.	24/09/2018 1500 Hrs.

The bids will be accepted in respect of those companies having successfully completed one similar work costing not less than  $\overline{\mathbf{x}}$  17,20,000/- or two similar works each costing not less than  $\overline{\mathbf{x}}$  10,75,000/- or three similar works each costing not less than  $\overline{\mathbf{x}}$  8,60,000/- during last three years as on 31<sup>st</sup> August 2018 and having annual financial turnover of at least  $\overline{\mathbf{x}}$  22,00,000/during each of the last three financial years ending March 31, 2018. Similar works means, work related to Installation of CCTV Cameras and associated equipments in Government National Laboratories / Institutions / Universities and reputed Organizations. Intending tenderers must enclose documents such as Completion Certificates and Work / Supply orders / certified Balance Sheet / Income Tax Returns for last three years as mentioned herein before.

The Earnest Money should be deposited in the form of Demand Draft drawn in favour of the Director, NIPGR, payable at New Delhi so as to reach the undersigned latest by 21/09/2018 (12.00 P.M). The Tender documents and detailed specifications can be obtained in person by the interested firms from the Purchase-Cum-Store Officer, NIPGR, during office hours against non-refundable cash payment of ₹ 500.00 (Rs. Five hundred only) as mentioned above from 31/08/2018 to 21/09/2018 upto 1600 hrs. The tender document is available and can also be downloaded free of cost at our website: www.nipgr.ac.in and CPP portal https://eprocure.gov.in

#### **TENDER DOCUMENTS**

#### Name of Work: Supply, Installation, Testing & Commissioning of 41 nos. of CCTV Cameras with accessories at NIPGR Campus, New Delhi

Owner:	Director, NIPGR, Aruna Asa	ıf Ali Marg,	New Delhi – 110 067
Tender Issued	to:		
Place for subn Place of openi	nission/ ng tender document:	Purchase S NIPGR, Aruna Asa New Delhi	f Ali Marg,
Date & Time	of Pre-bid Meeting:	11/	09/2018 (12.00 hrs.)
Last date & tin	me for sale of Tender Docume	ents: 21/	/09/2018up to 16:00 hrs.
Date & Time of	of opening of Technical Bid:	24	/09/2018 at 15:00 hrs.

#### COST OF TENDER DOCUMENT: ₹ 500.00 (Non-refundable)

Purchase cum Stores Officer NIPGR, New Delhi

#### **TENDER FORM**

То

The Director NIPGR, ARUNA ASAF ALI MARG, New Delhi

Dear Sir,

I/We have read and examined the following Tender Documents relating to the **Supply**, installation, testing and commissioning of CCTV Cameras with accessories at National Institute of Plant Genome Research, Aruna Asaf Ali Marg, New Delhi 110067.

- $\succ$ **General Conditions**
- $\triangleright$ Instructions to bidders
- $\triangleright$ General Information
- ۶ Specific condition of contract
- Terms and Conditions of Contract Agreement
- Special Terms and conditions of Contract
- ≻ Technical specification and Bill of Quantities
- Price Bid

I/We hereby offer to execute the work complete in all respects specified in the underwritten Memorandum within the time specified therein, at the rates specified in the Price Bid and in accordance with the specifications, designs, drawings and instructions in writing referred to in the conditions of tender.

**Tenderers Signature and Seal** 

#### **GENERAL CONDITIONS**

1. Online tenders are hereby invited from manufacturers/ authorized dealers for the Supply, installation, testing and commissioning of CCTV Cameras with accessories at National Institute of Plant Genome Research, Aruna Asaf Ali Marg, New Delhi 110067.

The tender document consists of General Conditions, Instructions to bidders, General Information, Tender form, Terms and Conditions of Contract Agreement, Special Terms and conditions of Contract, Technical specification and Price Bid which can be obtained at a cost of ₹ 500.00 (Rs. Five hundred only) (Non-refundable) in cash from 31/08/2018 to 21/09/2018 from the Purchase-cum-Stores Officer at NIPGR, Aruna Asaf Ali Marg, New Delhi. The tender document can also be downloaded from our website: www.nipgr.ac.in www.nipgr.ac.in and CPP portal https://eprocure.gov.in free of cost. The tender document is obligatory on the part of the tenderers & bid in no other form will be accepted.

- 2. The time allowed for the supply, testing and commissioning of above equipments is 02 weeks from the date of written Supply order.
- 3. Every tender shall be accompanied by earnest money of ₹ 43,000/- in the form of Demand Draft drawn in favour of the "Director, NIPGR" payable at New Delhi. Any tender not accompanied by such earnest money will be rejected straight away.
- 4. The Tenderer will submit his tender in prescribed format after examining the tender documents, scope of work, specific conditions of contract, Instructions to bidders, General Information, Terms and Conditions of contract agreement, technical specification, Price Bid, special terms and conditions of contract, specific conditions of contract.
- 5. The offer shall remain valid for 180 days from the date of opening of Tender.
- 6. The tenderer shall submit a copy of the latest Sales tax clearance certificate along-with the copies of the audited balance sheets of the past three years.
- 7. If a tenderer whose tender is accepted fails to undertake the work as per terms of the contract within 10 days to be reckoned from the date of issue of award letter, the earnest Money deposited will be forfeited.
- 8. NIPGR does not bind itself to accept the lowest or any tender and reserves the right to reject any or all tenders without assigning any reason.
- 9. NIPGR will not pay any expense, whatsoever incurred by tenderer for the preparation and submission of tenders.
- 10. The notice inviting tender, will form part of the contract agreement to be executed by the successful tenderer with the NIPGR.

11. All the correspondence on the tender shall be addressed to the Director, NIPGR, Aruna Asaf Ali Marg, New Delhi and any communication addressed to anyone else shall not in any manner to be binding upon the NIPGR, Aruna Asaf Ali Marg, New Delhi.

**Tenderers Signature with Seal** 

**Purchase cum Stores Officer** 

#### **INSTRUCTIONS TO BIDDERS**

#### **1. GENERAL INSTRUCTIONS:**

The items referred here-in shall cover the entire scope of the proposal which includes supplying and installation of the equipment including the successful completion and the tests which the NIPGR desires testing and commissioning shall be carried out.

#### 2. TENDERERS TO STUDY ENTIRE TENDER DOCUMENT CAREFULLY:

Submission of a tender by a tenderer implies that he has read all the stipulations contained in this tender document and has acquainted himself of the nature, scope and specifications of the items to be followed.

#### **3. TENDERER TO SUBMIT THE ENTIRE TENDER DOCUMENT:**

The tenderer shall submit all documents issued to him for the purpose of this tender after duly filling the same in all respects. Tenders which are found to be vague or incomplete shall be rejected summarily.

#### 4. TENDER SHALL BE WRITTEN IN ENGLISH LANGUAGE:

Every tender shall be written in English language. All information such as documents and drawings supplied by the tenderer will also be in the English language only. Drawings and designs shall be dimensioned according to the metric system of measurements. Tenders shall be forwarded under cover or a letter type written on the tenderer's letter-head and duly signed by the tenderer. Signatures must be in long hand, executed in ink by a duly authorized principal of the tendering firm. No oral, telegraphic or telephonic tenders or subsequent modifications there-to shall be entertained; If a tender is submitted on behalf of the firm, then all the partners shall sign or may be signed by one in whose favour all the partners have given General Power Of Attorney. In case of tender submitted by a company, it shall be signed by one who has been authorized by the Board of Directors through a resolution. Copy of resolution and the authority letter in favour of the person signing must accompany the tender.

#### 5. VALIDITY PERIOD OF OFFERS:

The rates quoted in the tender shall hold good for 180 days from the date of opening of the tender. The validity period shall be extendable with the mutual consent of both the parties. No tenderer can withdraw/or modify his tender or revoke the same within the said period of 180 days. If a tenderer on his own withdraws or revokes the tender or revises or alters or modifies the tender for any item or condition within a period of aforesaid 180 days his earnest money deposit shall stand forfeited.

#### 6. TENDERER TO SIGN ALL PAGES:

The tenderer shall stamp and sign at the bottom right hand corner of every page of the tender documents in token of acceptance of tender conditions and for the purpose of identification.

#### 7. ERASERES AND ALTERATIONS:

Tenders containing erasures and alterations of the tender documents are liable to be rejected unless these are authenticated by the person signing the Tender Documents.

#### 8. TENDERER TO SATISFY HIMSELF OF SITE CONDITIONS:

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tender regarding nature of the site conditions, the means of access of the site, the accommodation they may require and in general obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender in any manner. A tenderer shall be deemed to have full knowledge of the site, whether he inspects it or not and no compensation or otherwise of any charges incurred or to be incurred consequent on any misunderstanding or otherwise shall be admissible.

#### 9. EARNEST MONEY:

The tender shall be accompanied by earnest money of ₹43,000/- in the form of Demand Draft only drawn in favour of the Director, NIPGR payable at New Delhi. Earnest money of the unsuccessful bidder(s) shall be refunded after expiry of the validity period of the tenders/placement of Supply Order whichever is earlier. In case of the Successful tenderer the earnest money shall be adjusted against performance security.

#### **10. TENDERER TO QUOTE BOTH IN FIGURES AND WORDS:**

The bidder shall quote their rates for all the items both in figures as well as words given as per the attached format of Price bid. The amount of each item shall be worked out and the requisite total given. Special care shall be taken to write percentage in figures and words, and the amount in figures only in such a way that interpolation is not possible. The total amount shall be written both in figures and in words.

#### **11. TENDER LIABLE TO REJECTION:**

Tenders which do not fulfill all or any of the conditions laid down in this notice, or contain conditions not covered and / or not contemplated by the Conditions of tender document and/or expressly prohibited therein or stipulate additional/alternative conditions shall be liable to be rejected and his earnest money will be forfeited.

Tenders shall also be liable for rejection on any of the following grounds:-

- i) Tenders submitted late
- ii) Tenders containing remarks uncalled for.
- iii) Conditional tenders
- iv) Tenders not submitted on prescribed Performa.
- v) Telegraphic tenders.
- vi) Tender submitted without EMD.

#### **12.** CORRESPONDENCE:

Tenderers must mention their postal address and telephone number(s) of the Chief Executive/authorized agent or attorney in the tender. The tender submitted by the tenderer will be rejected if he or his agent cannot be contacted on the last known address or on the intimated telephone number(s) after reasonable search in which event earnest money may be forfeited by the NIPGR.

#### 13. NIPGR NOT TO ASSIGN ANY REASON FOR REJECTION OF TENDER:

Director, NIPGR hold absolute discretion to accept or reject the lowest or any other tender without assigning any reason. No claim on this account shall be entertained.

#### 14. AMENDMENT IN TENDER DOCUMENTS:

NIPGR reserves the right to revise or amend the Bid Documents upto the date prior to the date notified for opening of the tenders and also the right to postpone the date of submission and opening of tenders without assigning any reason, whatsoever.

# NIPGR also reserves the right to change the quantities of the units while issuing the letter of award of work.

#### **15. REFERENCE IN TENDER DOCUMENTS:**

Director, NIPGR, shall be referred as "Owner" in all the documents of Tender documents/contract agreement.

#### **16. SCIENTIST INCHARGE**

Where ever the word "Scientist Incharge" occurs it shall mean the authorized Scientist appointed by the NIPGR for the superintendence of the execution of related works.

**Tenderers Signature with Seal** 

**Purchase cum Stores Officer** 

# **GENERAL INFORMATION**

1.	Accepting Authority	Director, NIPGR, New Delhi.
2.	Earnest Money	₹43,000/- (Rs. Forty three thousand only) to be furnished with the tender in the form of the Demand draft in favour of "Director, NIPGR" payable at New Delhi. (No interest is payable on this deposit)
3.	Security Deposit	The EMD submitted by successful tenderer shall be treated as part of performance security deposit.
4.	Performance Security	The successful tenderer shall be required to deposit an amount equal to 10% of the tender value of the contract as Performance Security after adjusting the Security Deposit within 10 days from the date of issue of award letter. Performance Security may be deposited in the form of Demand Draft or Bank Guarantee from State Bank of India or any Scheduled bank.
5.	Authority competent to grant extension of time	Director, NIPGR.
6.	Tools & Plants	To be arranged by Tenderer
7.	Authority competent to reduce the Compensation amount	Director, NIPGR
8.	Defect Liability/warranty period	12 months from the date of installation and acceptance by the NIPGR
9.	Authority Competent to Appoint Arbitrator	Director, NIPGR
10.	Release of Security Deposit	The Performance Security shall be released after completion of the defect liability period.

Tenderers Signature with Seal

#### **Specific Conditions of Contract**

**Reg:** Supply, Installation, Testing & Commissioning of CCTV Cameras with accessories at NIPGR Campus, New Delhi

1. **Scope of work**: The scope of work generally consist of Supply and installation of CCTV Cameras with accessories as described in the equipment specifications of the tender documents. The supplier shall carryout and complete the work under the contract in every respect in accordance with this tenders documents and under directions & to the entire satisfaction of the Scientist-In-Charge. If any item of the work to be executed is not covered under specification, the same shall be executed as decided by the Scientist-In-Charge.

It is not the intent to specify completely herein all aspect of design and constructional features of equipment and details of work to be carried out, nevertheless, the equipment and work shall confirm in all respect to high standard of engineering, design and workmanship and shall be capable of performing in continuous commercial operation in a manner acceptable to the Scientist-In-Charge, who will interpret the meaning of the specifications and drawings and shall have the right to reject or accept any work or material, which in his assessment is not complete to meet the requirements of the specifications and or applicable code, and standards mentioned elsewhere in the specifications.

- 2. **Operation & Maintenance manuals**: Prior to completion of the work and handing over the CCTV Cameras with accessories, the supplier shall submit 3 sets of following details:
  - i) Comprehensive operation instructions, preventive and routine maintenance Schedules
  - ii) Manufacturer's equipment catalogues and operating & maintenance Instructions
  - iii) Electrical control diagrams, piping scheme diagrams
  - iii) List of recommended spare parts with spare part codes, specifications & Source of procurements.

**Supplier to provide all for testing**: The supplier shall provide and pay for all necessary tools, instruments gadgets and testing equipment required for conducting various tests. Any defects in material and / or in workmanship detected during initial testing shall be rectified by the supplier at his own cost. Initial testing shall be carried out in the presence of Scientist-In-Charge or his representative to his entire satisfaction. The installation shall be commissioned after approval by Scientist-In-Charge.

3. **Virtual completion**: On satisfactory completion of initial testing and commissioning, the installation shall be put to continuous running test for a period of 2 days for the purpose of taking over. Any defect in material and/ or in workmanship detected in the course of testing shall be rectified by the supplier at his own cost to the entire satisfaction of the Scientist-In-Charge. The test shall be repeated after removal of defects. After successful completion of above tests, the equipment shall be taken over.

- 4. Guarantee & Defect liability period: The equipment covered by this contract shall be guaranteed by the supplier against faulty material and workmanship for a period of 12 months from the date of virtual completion and taking over the installation. Any part found defective shall be replaced free of all costs by the supplier. The supplier shall guarantee that all equipment shall work satisfactorily and that the performance and efficiency of the equipment shall not be less than the specified values. If performance of equipment during guarantee period is not found satisfactory, the guarantee period will be extended till satisfactory performance is established for further period of reasonable time decided by NIPGR. The services of the supplier's personnel if requisitioned during the defect liability period shall be made available free of any cost to NIPGR. If the defects noticed during the guarantee period are not remedial within a reasonable time and / or some equipment or system as a whole remain out of order for a total period of one month (4 weeks) (Unless or otherwise extended) NIPGR shall have the right to remedy the defects at the supplier's risk & cost without prejudice to any other rights.
- 5. **Maintenance**: During the guarantee & defect liability period, the supplier shall provide at no extra cost necessary material and personal to carry out the repairs & routine maintenance of equipment. The supplier shall attend to all problems experienced in the operation of the system within a reasonable time but not more than 48 Hrs. of receiving the complaint and take corrective action immediately.
- 6. **Training of Personnel at site**: In order to enable NIPGR's staff to get acquainted with the operation and maintenance of the Equipment, the supplier at no extra cost to NIPGR shall train the departmental personnel during the period of installation, testing, commission and prior to virtual completion and taking over by NIPGR.
- 7. **Storage of materials & safe custody**: Lockable storage space, if available shall be made available to the supplier by NIPGR. However, the supplier shall be responsible for watch & ward and safe custody of his equipment and installation till they are formally taken over by NIPGR. Non-availability of lockable storage space due to any reasons shall not relieve the supplier of his contractual obligations in any way.
- 8. **Completion period**: All work of installation, testing, commissioning and handing over of the CCTV Cameras with accessories in accordance with this contract shall be completed within the stipulated period or within the extended time as has been allowed by the Institute.
- 9. The supplier/manufacturer should ensure timely service and calibration of machine for successful installation and satisfactory operation.

#### **TERMS & CONDITIONS OF CONTRCT AGREEMENT**

#### SECURITY DEPOSIT

1. The earnest money amounting of ₹ 43,000/- will be treated as part of performance security deposit of the successful tenderer.

#### **COMPENSATION CLAUSE**

2. The time allowed for carrying out the work as entered in the tender shall be strictly observed by the Tenderer, and shall be reckoned from the day of the date on which the order to commence the work is given to the Tenderer. The Tenderer shall prepare and submit the details of delivery and installation for the execution of the said work within ten days of award of work for approval of the Scientist Incharge, NIPGR. The work on the contract shall be executed according to the approved schedule as aforesaid and shall throughout the stipulated period of the contract be proceeded with all due diligence (time being deemed to be the essence of the contract on the part of the Tenderer) and the Tenderer shall pay as compensation an amount equal to one percent or such smaller amount as Scientist Incharge, NIPGR may decide on the value of work as per contract, for every week that the work remains un-commenced or unfinished after the dates mutually agreed upon by the parties. Further to ensure good progress during the execution of the work, the Tenderer shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one fourth of the whole time allowed under the contract has elapsed, one half of work before one half of such time has elapsed and three fourth of the work before three fourth of such time has elapsed. In the event of the Tenderer failing to comply with this condition he shall be liable to pay as compensation an amount equal to one percent or such smaller amount as the Scientist Incharge, NIPGR, may decide of the value of balance work for everyday that the due quantity of work remains incomplete. Provided always that the entire amount of compensation to be paid under the provisions of this clause shall not exceed ten percent of the awarded cost of work as shown in the tender. The Director, NIPGR, on a representation from the Tenderer, is however, empowered to reduce the amount of compensation and his decision in writing shall be final.

#### TIME EXTENSION

3. If the Tenderer shall desire an extension of the time limit for completion of the work on the grounds of his having been unavoidably hindered in its execution or on any other ground he shall apply in writing to the Scientist Incharge, NIPGR within 10 days of the date of the hindrance on account of which he desires such extensions as aforesaid but before the expiry of time limit and the Scientist Incharge, if in his opinion(which shall be final) reasonable grounds as shown thereof ,authorized such extension of time if any, as may, in his opinion be necessary or proper.

#### **COMPLETION**

4. Without prejudice to the rights of Scientist Incharge under any clause hereinafter contained on completion of the work, the Tenderer shall be furnished with a certificate

by the Scientist Incharge or his representative of such completion, but no such certificate shall be given nor shall the work be considered to be complete until the Tenderer shall have removed from the premises on which the work has been executed, all surplus materials and rubbish, and cleaning off the dirt from all doors, walls, floors, or any other parts of buildings said to have been completed, and the measurements in the said certificate shall be binding and conclusive against the Tenderer, if the Tenderer shall fail to comply with the requirements of this clause as to the removal of scaffolding, surplus materials, and rubbish and cleaning off dirt on or before the date fixed for the completion of the work, Scientist Incharge, NIPGR may at the expense of the Tenderer have removed such scaffolding, surplus materials and rubbish and dispose of the same as he thinks fit and clean off such dirt as aforesaid and the Tenderer shall forth with pay the amount of all expenses so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid except for any such sale proceeds actually realized by the sale thereof.

#### **ARBITRATION**

5. Except where otherwise provided in the contract all questions and disputes relating to the meaning of the specifications, designs, drawings and instructions here in before mentioned and as to the quality of workmanship or materials used on the work or as to any other question, claim, right, matter or thing whatsoever, in any arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions, orders or these conditions or otherwise concerning the works, or the execution or failure to execute the same whether arising during the progress of the work or after the completion or abandonment thereof shall be referred to the sole arbitration of the person selected from out of a panel of names to be supplied upon a request in writing by party invoking the arbitration by the Director, NIPGR, at the time of the dispute. It will be no objection to any such appointment that the arbitrator so appointed was associated with the work and that he had to deal with the matters to which the contract relates and that in the course of his duties in association with the Scientist Incharge, NIPGR, he had expressed views on all or any of the matters in dispute or difference. The arbitrator to whom the matter is originally referred being unable to act for any reason, the Director shall appoint another person to act as arbitrator in accordance with the terms of the contract. Such person shall be entitled to proceed with the reference from the stage at which it was left by his predecessor. It is also a term of this contract that no person other than a person appointed by the Director as aforesaid shall act as arbitrator. In all cases where the amount of the claim in dispute is ₹ 50000/- (Rs. Fifty thousand only)or above, the arbitrator shall give reasons for the award. Subject as aforesaid the provisions of Arbitration and Cancellation Act 1996 or any statutory modifications or reenactment thereof and the rules framed there under and for the time being in force shall apply to the arbitration proceeding under this clause. It is also a term of the contract that while invoking arbitration the party invoking arbitration shall specify the dispute or disputes to be referred to arbitration under this clause together with the amount or amounts claimed in respect of each such dispute. It is also a term of the contract that if a party does not make any demand for arbitration in respect of any claim(s) in writing within 90 days of receiving the intimation from the Scientist Incharge that the bill is ready for payment, the claim if any, shall be deemed to have been waived and absolutely barred and the owner shall be discharged and released of all liabilities under the contract in respect of these claims.

#### **CARRYING OUT OF WORK**

6. All the work shall be carried out strictly and in accordance with the specifications given in the tender to the total satisfaction of the Scientist Incharge. In the case of an item for which specification are not available in the said specifications relevant BIS specifications applicable as on the date of tenders shall be followed.

#### **INSPECTION OF WORK**

7. All work under or in course of execution or executed in pursuance of the contract shall at all times be open to the inspection and supervision of Scientist Incharge, NIPGR or his subordinate in-charge of the work and the Tenderer shall at all times, during the usual working hours and at all other times at which reasonable notice of the intention of the Scientist Incharge to visit the works shall have been given to the Tenderer, either himself be present to receive order and instructions or have a responsible agent duly accredited in writing present for that purpose. Orders given to the Tenderer's agent shall be considered to have the same force as if they had been given to the Tenderer himself.

#### **INSURANCE**

- 8. The following insurance cover is to be provided by the Tenderer in the joint names of the employer and the Tenderer for the period from the start date till completion of entire work.
  - a) Cover against damage to other people's property caused by the
  - b) Tenderer's acts or omission;
  - c) Cover against death or injury caused by the Tenderer's acts or omission to:
    - i) Anyone authorized to be on the site;
    - ii) Third parties who are not on the site;
- 9. No Escalation in rates shall be paid.
- 10. The Tenderer shall provide all necessary superintendence during execution of the work and as along thereafter as may be necessary for proper fulfilling of the obligations under the contract.
- 11. The tenderer must visit the site at NIPGR campus, Aruna Asaf Ali Marg, New Delhi 110067 before quoting the rates.
- 12. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the Tenderers who resort to canvassing will be liable to rejection.
- 13. The rates for Local equipments shall be inclusive of all taxes, octroi, cartage etc., and nothing extra will be paid.
- 14. No T&P will be issued by the department.

- 15. The final payment shall be made only after completion of the work subject to certification by Scientist –in- Charge.
- 16. The site of work is at NIPGR Campus, Aruna Asaf Ali Marg, New Delhi 110067.
- 17. The **Technical specifications** and **Layout Plan** of the required CCTV Cameras is attached with this Tender Document.
- 18. Installation, Testing & Commissioning of the supplied Cameras will be done at our site by the bidder in the presence of Scientist-in-Charge of our Institute.

**Tenderers Signature with Seal** 

#### SPECIAL TERMS AND CONDITIONS OF CONTRACT

#### 1. TENDERER TO BE LIABLE FOR ALL TAXES ETC.

The rates specified in the tender shall be FOR NIPGR and inclusive of all taxes, duties and other charges etc., in respect of the contract and the rates shall be firm irrespective of any variation in the prevailing rates of taxes, levies, octroi, etc., and any fresh imposition of any of these by State/Central/Statuary bodies. The supplier shall indemnify the Director against levy of any taxes, etc., in regard to this contract and in the event of the Director being assessed for any of the said imports, Director shall have the right to recover the total amount so assessed from the supplier's dues and the supplier shall also be responsible for all costs or expenses that may be incurred by Director in connection with any proceedings or limitation in respect of the same. We are eligible for concessional tax (rate) exemption under notification no. 45/2017-Central tax (rate)/Union territory tax (rate) & 47/2017 – Integrated tax (rate) dated 14/11/2017 and fall under the category of Public funded research institution.

#### 2. FORCE MAJEURE:

The right of the Tenderer to proceed with the work shall not be terminated because of any delay in the completion of the work due to unforeseeable causes beyond the control and without the fault or negligence of the Tenderer, including not limited to acts of God, or of the public enemy, restraints of a sovereign state, firms, floods, unusually severe weather.

#### **3. JURISDICTION:**

Not with standing any other courts having jurisdiction to decide the questions forming subject matter of a suit any and all actions and proceedings arising out of or relative to this contract (including any arbitration in terms thereof) shall lie only in the court of competent Civil jurisdiction in this behalf at New Delhi., where this contract is to be signed on behalf of Director, NIPGR and only the said court shall have jurisdiction to try any such actions and/or proceedings to the exclusion of all other courts.

#### 4. SCOPE OF WORK:

The scope of work is as per enclosed details. The Tenderer should note that during the preparation of detailed working drawings, according to which the Tenderer has to execute the work covered under this contract, may undergo changes. The scope drawings for the entire work are not enclosed, but only a few indicating the probable nature of construction are attached. The scope of work is thus not limited only to the details.

#### 5. Scientist Incharge Role:

The Scientist Incharge shall carry out general supervision and direction of the work. He/she has authority to stop the work. Whenever he/she considering such stoppage necessary to ensure the proper execution of the work. He/she shall also have authority to inspect and reject all work and materials, which do not conform to the specifications and to direct the application of Tenderer's forces to any portion of the work, as in his/her judgment is required, and to order the said force increased or diminished and to decide questions which arise in the execution of the work.

The Scientist Incharge shall have the right to suspend the work or part thereof at any time and no claim whatsoever on this account shall be entertained. In case of any clarification the Tenderer may appeal to the Director, NIPGR whose decision shall be final and binding on the Tenderer. The above inspection shall, however, not relieve the Tenderer of his responsibilities in regards to defective materials or workmanship and the necessity for rectifying or replacing the same.

# 6. TENDERER'S RESPONSIBILITY FOR THE MANNER OF EXECUTION OF WORKS

The Tenderer shall be solely responsible for the manner and the method of executing the work. The work shall be subject to the approval of Scientist Incharge from time to time for purposes of determination of the question whether the work is executed by the Tenderer in accordance with the contract.

#### 7. SUBMISSION OF BILLS:

Tenderer is to submit the bills in triplicate along with delivery challans to the Scientist Incharge for works executed by him. Payment will be released on completion of entire work subject to certification by the Scientist Incharge.

#### 8. ACTION AND COMPENSATION PAYABLE IN CASE OF BAD WORK:

If it shall appear to Scientist Incharge, NIPGR or his representatives, that any work has been executed with unsound, imperfect or unskillful workmanship or with materials of any inferior description or that any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to the contracted for, or otherwise not in accordance with the contract specifications the Tenderer shall on demand in writing from the Scientist Incharge specifying the work materials, articles complained or not with-standing that the same have been inadvertently passed, certified and paid for, forthwith rectify or remove and reconstruct the work so specified in whole or in part as the case may require, or as the case, remove the materials or articles so specified and provide other and suitable materials or articles so specified at his own cost and in the event of his failing to do so within a period to be specified by the Scientist Incharge in his demand aforesaid, then the Tenderer shall be liable to pay compensation at the rate of one percent on the amount of the estimate for every day not exceeding ten days while his failure to do so that continue and in the case of any such failure Scientist Incharge, NIPGR may rectify or remove, and reexecute the work or remove and replace with other materials or articles complained of, as the case may be at risk and expenses in all respects of the Tenderer.

**9.** It shall always prevail, unless otherwise specifically stated, that the entire provisions of Tender document been opened upon and accepted for compliance by the Tenderer without any reservation.

- **10.** The payment in Indian Rupees, payments shall be released upon successful/satisfactory installation of the equipment.
- **11.** Bidder should provide quotations directly enclosed from the manufacturer.
- **12.** Bidder providing misleading or wrong information will be disqualified.
- **13.** Bidder will support all the claims by product catalogue, public website of the manufacturer.
- **14.** The Tender Compliance Sheet attached with the tender document should be properly filled with complete details.
- **15.** The bidder should not be blacklisted/suspended or involved in any service related dispute with any Govt. Organization/Department etc. in India or outside India. A declaration in this regard should be attached as per Annexure-I.
- 16. The tenderer should submit Certificate of Site Inspection as per Annexure II.

**Tenderers Signature with Seal** 

#### **Instructions for Online Bid Submission**

- 1. The tender documents are available on our website <u>www.nipgr.ac.in</u> & www.eprocure.gov.in and same can be downloaded.
- 2. Tender documents may be downloaded from ITPO's website <u>www.nipgr.ac.in</u> and CPPP site <u>https://eprocure.gov.in/eprocure/app</u> as per the schedule as given in the tender document.
- 3. Bids shall submitted online only CPPP website: be at https://eprocure.gov.in/eprocure/app. Tenderers/Contractors are advised to follow the instructions provided in the 'Instructions to the Contractors/Tenderer for the esubmission of the bids online through the Central Public Procurement Portal for eProcurement at https://eprocure.gov.in/eprocure/app'. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4. Not more than one tender shall be submitted by one contactor or contractors having business relationship. Under no circumstance will father and his son(s) or other close relations who have business relationship with one another (i.e when one or more partner(s)/director(s) are common) be allowed to tender for the same contract as separate competitors. A breach of this condition will render the tenders of both parities liable to rejection.
- 5. The bidders are advised to visit CPPP website <u>https://eprocure.gov.in/eprocure/app</u> at least 3 days prior to closing date of submission of tender for any corrigendum / addendum/ amendment.
- 6. Bids will be opened as per date/time as mentioned in the **Tender Document.** After online opening and evaluation of technical bids, the results of their qualification as well Price-Bid opening will be intimated later.

#### Submission of Tender

The tender shall be submitted online in two parts, viz., Technical bid and Financial bid.

All the pages of bid being submitted must be sequentially numbered by the bidder irrespective of nature of content of the documents before uploading.

The offers submitted by Post/Fax/email shall not be considered. No correspondence will be entertained in this matter.

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <u>https://eprocure.gov.in/eprocure/app</u>.

#### REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <u>https://eprocure.gov.in/eprocure/app</u>) by clicking on the link "**Online Bidder Enrolment**" on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra/ Nic etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

#### SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

#### **PREPARATION OF BIDS**

Bidder should take into account any corrigendum published on the tender document before submitting their bids.

- 1) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 2) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 3) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, GST Certificate etc.) has been provided to the bidders. Bidders can use "My Space" or 'Other Important Documents' area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

#### SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official before bid opening date/time as mentioned in critical date sheet or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

- 6) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 7) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 9) Upon the successful and timely submission of bids (i.e after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 10) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

### ASSISTANCE TO BIDDERS

1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.

Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 3070 2232, 91-7878007972 and 91-7878007973.

# **Technical Specifications**

# Item – CCTV Cameras with accessories (Quantity of Unit – 41 Nos.)

Description of Item		UOM	Make/ Model Required			
Supply of 1/3" 2MP Progressive scan CMOS 2 mega pixel, 1080p full HD resolution, 6mm fixed camera, Up to 30 m IR distance, True day/night, 3d DNR, Digital WDR, 3d intelligent positioning.24 VAC / High-Poe power supply.		Nos	CP PLUS, HONEYWELL, HIKVISION, BOSCH			
Supply of Network video recorder. Up to 16 IP cameras can be connected with 160M, incoming bandwidth, third party network cameras support 2-ch HDMI,2-ch VGA,HMDI1 at up to 4k(3840 x2160)resolution, up to 8 SATA interface, support HDD hot scrap with RAIDO,1,5,6,10 detection alarm and VCA search, Support H.265/H.264/MPEG4 video formats.		Nos	CP PLUS, HONEYWELL, HIKVISION, BOSCH			
Supply of 4000 GB WD Purple 24X7 Surveillance Hard Disc	6	Nos	WD/SEAGATE			
Creation of Power Supply 5AMP including mcb , MCCB, wire casing and capint etc. as required as per site conditions	10	Nos	ISI MARK			
Supply of 5.8 GHz wireless CPE with 11dBi integrated antenna ,30 degree transmission, weather proof IP 66 rating	10	Nos	D Link / TP Link/ Net gear			
Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna , 90 degree transmission, weather proof with IP66 rating		Nos	D Link / TP Link/ Cisco			
	3	Nos	Samsung / LG / Sony/			
Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit		RMT	D-LINK / Terabyte			
Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement	10	Nos				
box with locking arrangement complete with all accessories	1	Nos	D-LINK/ I ball/ Tripp Lite /			
Supply of Power Cable 2 core armoured cable including mounting of Cable in PVC Condu	it					
with excavation of ground	150 250	RMT				
without excavation		RMT				
Supply of RJ 45 connectors		Nos	D-LINK / TP Link			
Supply of MS Pole of 3"-4" duly painted along with construction of civil base foundation and all accessories for mounting of camera. The height of pole shall be 4.5 mtrs - 6 mtrs approx.	12	Nos				
Supply of metal Metal saddle 25mm/ 30mm with	8000	Nos				
base plate and screw	12					
Supply of 10/100/1000 Giga PoE port network switch :-8 port		Nos	D-LINK / Gigabyte / Net gear/ TP Link			
Installation & Commissioning charges for all the above material.	1	Nos				

#### **TECHNICAL BID**


# NAME OF WORK: Supply, Installation, Testing & Commissioning of CCTV Cameras with accessories at NIPGR Campus, New Delhi

## Tender No. 8/2018-19/NIPGR/S&P

Description of Item	Qty.	UOM	Make/	Unit Rate	Amount (₹)
			Model	(₹)	
			Required		
Supply of 1/3" 2MP Progressive scan CMOS 2	41	Nos	CP PLUS,		Rates not to
mega pixel, 1080p full HD resolution, 6mm fixed				be quoted	be quoted
camera, Up to 30 m IR distance, True day/night,			LL,		
3d DNR, Digital WDR, 3d intelligent			HIKVISION,		
positioning.24 VAC / High-Poe power supply.			BOSCH		
Supply of Network video recorder. Up to 16 IP	3	Nos	CP PLUS,		
cameras can be connected with 160M, incoming			HONEYWE		
bandwidth, third party network cameras support			LL,		
2-ch HDMI,2-ch VGA,HMDI1 at up to 4k(3840			HIKVISION,		
x2160)resolution, up to 8 SATA interface,			BOSCH		
support HDD hot scrap with RAIDO,1,5,6,10					
detection alarm and VCA search, Support					
H.265/H.264/MPEG4 video formats.					
Supply of 4000 GB WD Purple 24X7	6	Nos	WD/SEAGA	1	
Surveillance Hard Disc			TE		
Creation of Power Supply 5AMP including mcb ,	10	Nos	ISI MARK		
MCCB, wire casing and capint etc. as required as					
per site conditions					
Supply of 5.8 GHz wireless CPE with 11dBi	10	Nos	D Link / TP		
integrated antenna ,30 degree transmission,			Link/ Net		
weather proof IP 66 rating			gear		
Supply of 5.8 GHz wireless access point with 18	5	Nos	D Link / TP		
dbi integrates antenna, 90 degree transmission,			Link/ Cisco		
weather proof with IP66 rating					
Supply of 42" Commercial LED have resolution	3	Nos	Samsung /		
1366 x 768 with 2 HDMI ports, 2 USB ports with			LG / Sony/		
all accessories such as connecting cable as per					
requirement for connection with Camera					
Supply of Cat 6 cable for internet connection	1800	RMT	D-LINK /		
with the camera and NVR. The cable shall be			Terabyte		
mounted inside the PVC Conduit					
Supply of Weather Proof junction Box made of	10	Nos			
plastic of appropriate size as per site requirement				1	
Supply of High grade CCTV NVR/DVR cabinet	1	Nos	D-LINK/ I		
box with locking arrangement complete with all			ball/ Tripp		
accessories			Lite /	4	
Supply of Power Cable 2 core armored					
cable including mounting of Cable in PVC Condui		1	1	4	
with excavation of ground	150	RMT			
without excavation	250	RMT		1	
Supply of RJ 45 connectors	200	Nos	D-LINK / TP		
			Link		

Supply of MS Pole of 3"-4" duly painted along	12	Nos		
with construction of civil base foundation and all				
accessories for mounting of camera. The height				
of pole shall be 4.5 mtrs - 6 mtrs approx.				
Supply of metal saddle 25mm/ 30mm with base	8000	Nos		
plate and screw				
Supply of 10/100/1000 Giga PoE port network	12	Nos	D-LINK /	
switch :-8 port			Gigabyte /	
			Net gear/ TP	
			Link	
Installation & Commissioning charges for all the	1	Nos		
above material.				

# Name & Signature of Tenderers/ Company with Seal



LAYOUT PLAN FOR INSTAL ATTON OF 41 Comments

# (Undertaking on a Non-Judicial Stamp Paper worth Rs. 100/- duly notarized)

# I / We (bidder) hereby give an undertaking that:

- a) I/We have not been blacklisted / on holiday list / debarred during last three years by any Govt. Department/Govt. Autonomous Body/Institution, etc.;
- b) I/We do not have any dispute with any of the Govt. Departments/Govt. Autonomous Bodies/Institutions, etc.;
- c) I/We have never been certified as 'Unsatisfactory Performer'' for the said services provided to the Govt. Departments/Govt. Autonomous Bodies/Institutions;
- d) I/We have not submitted any fake/forged certificates/documents and later, if any such 'Certificates/Documents' found to be fake/forged or contains willful wrong/incorrect information, suitable legal action may be initiated against me/us/agency besides 'forfeiture of Earnest Money Deposit' and 'Blacklisting' etc.
- e) I/We shall not withdraw my/our bid after opening of Technical Bid and if done so, the NIPGR shall be authorized to forfeit the EMD submitted by me/us.

Seal and Signature of the Authorized Person of the Agency

Name and designation of the Authorized Person of the Agency

pe

Place: Date:

-11-

#### 'CERTIFICATE FOR SITE INSPECTION' Pre-gualification criteria of NIT

Certificate that we have visited the site on ...... and assessed the nature and amount of work involved before submitting our offer. We will be able to complete the works within the stipulated time and also that we will be able to execute the work suit to the site conditions.

#### (Signature of Bidder with Seal)

LN

Name: Address: Date:

**Consultant Engineer** 

## National Institute of Plant Genome Research, New Delhi

## PRICE BID

#### NAME OF WORK: Supply, Installation, Testing & Commissioning of CCTV Cameras with accessories at NIPGR Campus, New Delhi

#### Tender No. 8/2018-19/NIPGR/S&P

Nodel Required       Kodel Required       Kodel Required         Supply of 1/3" 2MP Progressive scan CMOS 2 mega pixel, 1080p full HD resolution, 6mm fixed acmera. Up to 30 m R distance, True daynight, 3d DNR, Digital WDR, 3d intelligent positioning.24 VAC / High-Poe power supply.       Nos       CP PLUS, HONEYWE LL, HKVISION, BOSCH         Supply of Network video recorder. Up to 16 IP cameras can be connected with 160M, incoming bandwidth, tird pary network cameras support 2-ch HDML2-ch VGA,HMDH at up to 4k(3840 x2160)resolution, up to 8 SATA interface, support HDD hot scrap with RAIDO,15,6,10 detection alarm and VCA search, Support HL255/H264/MPEG4 video formats.       WD/SEAGA TE         Supply of 4000 GB WD Purple 24X7       6       Nos       WD/SEAGA TE         Supply of A000 GB WD Purple 24X7       6       Nos       ISI MARK         MCCB, wire casing and capin etc, as required as per site conditions       10       Nos       D Link / TP         Supply of 42" Commercial LED have resolution all accessories such as connecting cable as per requirement for connection with Camera       3       Nos       Samsung / Link/ Cisco         Supply of 42" Commercial LED have resolution 3166 x 768 with 2 HDMI ports, 2 USB ports with 316 accessories such as connecting cable as per requirement for connection with Camera       3       Nos       Samsung / Link / Cisco         Supply of 42" Commercial LED have resolution 316 accessories such as connecting cable as per requirement for connection with Camera       Nos       Samsung / Link	Description of Item	Qty.	UOM	Make/	Unit Rate	Amount (₹)	(%) of GST
Supply of 1/3" 2MP Progressive scan CMO S 2     41     Nos     CP FLUS,       mega pixel, 1080p full HD resolution, 6mm fixed     HONEYWE     LL,       acmera, Up to 30 m IR distance, True day/night,     BOSCH     HONEYWE       Supply of Network video recorder. Up to 16 IP     BOSCH     BOSCH       Supply of Network video recorder. Up to 16 IP     Nos     CP PLUS,       Bundwidth, tird pary network cameras support     LL,     HONEYWE       2-ch HDM1,2-ch VGA,HMDI at up to 4k(3840     HKVISION,       2160)rsolution, up to 8 SATA interface,     BOSCH       support HDD hot scrap with RAIDO,1,5,6.10     detection alarm and VCA search, Support     BOSCH       4100 CB WD Purple 24X7     Mos     WD/SEAGA       Supply of 5.8 GHz wireless CPE with 11dBi     10     Nos     ISI MARK       MCCB, wire casing and capint etc. as required as per site conditions     Supply of 5.8 GHz wireless access point with 18     D Link / TP       Link/ Net gear     Samsung /     Link/ Cisco     Link / Cisco       weather proof IP 66 rating     Nos     Samsung /     Link / Cisco       Supply of 5.4 GHz wireless access point with 18     Nos     Samsung /     Link / Cisco       Supply of 6.42 °Commercial LED have resolution 3     Nos		~ ~ ~		Model	(₹)		
mega pixel, 1080p full HD resolution, 6mm fixed camera, Up to 30 m IR distance, True day/night, 3d DNR, Digital WDR, 3d intelligent positioning.24 VAC / High-Poe power supply.     HONEYWE LL, BOSCH       Supply of Network video recorder. Up to 16 IP cameras can be connected with 160M, incoming bandwidth, third party network cameras support 2-ch HDM1, 2-ch VGA, HMD11 at up to 4K(3840 v2160)resolution, up to 8 SATA interface, support HDD hor scrap with RAIDO,1,5,6,10 detection altern and VCA search, Support H.265/H.264/MPEG4 video formats.     Nos     CP FLUS, HONEYWE LL, VEX (SIGN, SECH       Supply of 4000 GB WD Purple 24X7     6     Nos     WD/SEAGA TE       Supply of 3.8 GHz wireless CPE with 11dBi integrated antenna, 30 degree transmission, weather proof with P66 rating     10     Nos     Isink / TP Link / Net gear       Supply of 420° commercial LED have resolution all accessories such as connecting cable as per requirement for connection with Camera     1800     RMT       Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit     100     Nos     Samsung / LG / Sony/ all accessories such as connecting cable as per requirement for connection with Camera     100     Nos     Samsung / LG / Sony/ all accessories such as connecting cable as per requirement for connection gear such as connecting cable as per requirement for connection with Camera     100     Nos       Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit     Nos     Samsung / LG / Sony/ all acc				Required			
eamera, Up to 30 m R distance, True day/night, 3d DNR, Digital WDR, 3d intelligent positioning, 24 VAC / High-Poe power supply. Supply of Network video recorder. Up to 16 P ameras can be connected with 160M, incoming bandwidth, third party network cameras support 2-ch HDM1,2-ch VGA,HMDD1 at up to 4k(3840 x2160)resolution, up to 8 SATA interface, support HDD hot scrap with RAIDO,1,5,6,10 detection alarm and VCA search, Support H.265/H.264/MPEG4 video formats. Supply of 4000 GB WD Purple 24X7 Greation of Power Supply SAMP including mcb, 10 MCCB, wire casing and capint etc. as required as per site conditions Supply of S.8 GHz wireless access point with 18 Supply of S.8 GHz wireless access point with 18 at casesories such as connecting cable as per requirement for connection with 24B otts with all accessories such as connecting cable as per requirement for connection with 24B otts with all accessories such as connecting cable as per requirement for connection with 24B otts with all accessories such as connecting cable as per requirement for connection with 24B otts with all accessories such as connecting cable as per requirement for connection with 24B otts with 24B otts with 24B otts with 24B otts with all accessories such as connecting cable as per requirement for connection with 24B otts withs 24B otts with 24B otts with 24B otts withs 24B otts with 24B otts withs 24B otts with 24B otts withs 2	Supply of 1/3" 2MP Progressive scan CMOS 2	41	Nos	CP PLUS,			
3d DNR, Digital WDR, 3d intelligent positioning.24 VAC / High-Poe power supply.     BOSCH       Supply of Network video recorder. Up to 16 IP cameras can be connected with 160M, incoming and width, third party network cameras support 2-ch HDM1,2-ch VGA,HMD11 at up to 4k(3840     HIKVISION, HONEYWE LL, HKVISION, Support HD bot scrap with RAIDO,1,56,10       value of the start	mega pixel, 1080p full HD resolution, 6mm fixed			HONEYWE			
positioning.24 VAC / High-Poe power supply.       BOSCH         Supply of Network video recorder. Up to 16 IP cameras can be connected with 160M, incoming bandwidth, third party network cameras support 2-ch HDMI.2-ch VGA,HMDI1 at up to 4k(3840 x2160)resolution, up to 8 SATA interface, support HDD hot scrap with RAIDO,1,5,6.10 detection alarm and VCA search, Support Action alarm and VCA search, Support detection alarm and VCA search, Support Action of Power Supply 5AMP including mcb., 10       Nos       WD/SEAGA TE         Supply of 4000 GB WD Purple 24X7       6       Nos       WD/SEAGA TE         Supply of 4000 GB WD Purple 24X7       6       Nos       WD/SEAGA TE         Supply of 5.8 GHz wireless CPE with 11dBi integrated antenna ,30 degree transmission, weather proof IP 66 rating       Nos       D Link / TP Link/ Net gear         Supply of 5.8 GHz wireless access point with 18 5 Supply of 240° Commercial LED have resolution 3166 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit       Nos       Samsung / LiG / Sony/         Supply of High grade CCTV NVR/DVR cabinet Supply of Hooking arrangement complete with all accessories such a connection with camera Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit without excavation Supply of RU 45 connectors       Nos       D-LINK / T Terabyte         Supply of RU 45 connectors       200       Nos       D-LINK / TP <td>camera, Up to 30 m IR distance, True day/night,</td> <td></td> <td></td> <td>LL,</td> <td></td> <td></td> <td></td>	camera, Up to 30 m IR distance, True day/night,			LL,			
Supply of Network video recorder. Up to 16 IP cameras can be connected with 160M, incoming bandwidth, third party network cameras support 2-ch HDML2-ch VGA,HMDH1 at up to 4k(3840 x2160)resolution, up to 8 SATA interface, support HDD hot scrap with RAIDO,1,5,6,10 detection alarm and VCA search, Support H.265/H.264/MPEG4 video formats.     Nos     CP PLUS, HONEYWE LL, HIKVISION, BOSCH       Supply of 4000 GB WD Purple 24X7 Surveillance Hard Disc     6     Nos     WD/SEAGA TE       Creation of Power Supply 5AMP including mcb., support PD 65 s. GHz wireless CPE with 11dBi integrated antenna, 30 degree transmission, weather proof IP 66 rating     10     Nos     ISI MARK       Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna, 90 degree transmission, weather proof with IP66 rating     Nos     D Link / TP Link/ Net gear       Supply of 42° Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     3     Nos     Samsung / LG / Sony/       Supply of Cat 6 cable for internet connection with lec amera and NVR. The cable shall be hounted inside the PVC Conduit     10     Nos     D-LINK / Terabyte       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     1     Nos     D-LINK / I ball / Tripp       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     1     Nos     D-LINK / I ball / Tripp       Supply of Power Cable 2 core armored cable				HIKVISION,			
Supply of Network video recorder. Up to 16 IP cameras can be connected with 160M, incoming bandwidth, third party network cameras support 2-ch HDML2-ch VGA,HMDH1 at up to 4k(3840 x2160)resolution, up to 8 SATA interface, support HDD hot scrap with RAIDO,1,5,6,10 detection alarm and VCA search, Support H.265/H.264/MPEG4 video formats.     Nos     CP PLUS, HONEYWE LL, HIKVISION, BOSCH       Supply of 4000 GB WD Purple 24X7 Surveillance Hard Disc     6     Nos     WD/SEAGA TE       Creation of Power Supply 5AMP including mcb., support PD 65 s. GHz wireless CPE with 11dBi integrated antenna, 30 degree transmission, weather proof IP 66 rating     10     Nos     ISI MARK       Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna, 90 degree transmission, weather proof with IP66 rating     Nos     D Link / TP Link/ Net gear       Supply of 42° Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     3     Nos     Samsung / LG / Sony/       Supply of Cat 6 cable for internet connection with lec amera and NVR. The cable shall be hounted inside the PVC Conduit     10     Nos     D-LINK / Terabyte       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     1     Nos     D-LINK / I ball / Tripp       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     1     Nos     D-LINK / I ball / Tripp       Supply of Power Cable 2 core armored cable	positioning.24 VAC / High-Poe power supply.			BOSCH			
cameras can be connected with 160M, incoming bandwidth, third party network cameras support 2-ch HDML2-ch VGA,HMDI1 at up to 4k(3840 x2160)resolution, up to 8 SATA interface, support HDD hot scrap with RAIDO,1,5,6,10 detection alarm and VCA search, Support H.265/H.264/MPEG4 video formats. Supply of 4000 GB WD Purple 24X7 6 Creation of Power Supply 5AMP including meb , MCCB, wire casing and capint etc. as required as per site conditions Supply of SA GHz wireless CPE with 11dBi integrated antenna ,30 degree transmission, weather proof IP 66 rating Supply of SA GHz wireless access point with 18 bbi integrates antenna ,90 degree transmission, weather proof with 1P66 rating Supply of CA 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit Supply of CA 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit Supply of Sufe Crowner and State as per site and NVR. The cable shall be mounted inside the PVC Conduit Supply of CA 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement Supply of Pate CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories such as connecting table and the output connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit Supply of Pate CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories such as connecting table as per supply of Pate CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories such as connectors Supply of RJ 45 connectors 200 Nos D-LINK / TP	Supply of Network video recorder. Up to 16 IP	3	Nos	CP PLUS,			
2-ch HDMI,2-ch VGA,HMDI1 at up to 4k(3840 x2160)resolution, up to 8 SATA interface, support HDD hot scrap with RAIDO,1,5,6,10 detection alarm and VCA search, Support H.265/H.264/MPEG4 video formats.     HIKVISION, BOSCH       Supply of 4000 GB WD Purple 24X7     6     Nos       Creation of Power Supply 5AMP including mcb., MCCB, wire casing and capint etc. as required as per site conditions     10     Nos       Supply of 5.8 GHz wireless CPE with 11dBi integrated antenna, 30 degree transmission, weather proof IP 66 rating     10     Nos     D Link / TP Link/ Net gear       Supply of 7.8 GHz wireless access point with 18 dbi integrated antenna, 90 degree transmission, weather proof with IP66 rating     Nos     D Link / TP Link/ Cisco       Supply of 42" Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     1800     RMT     D-LINK / Terabyte       Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     10     Nos       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     100     RMT     bal/ Tripp Lite /       Supply of RJ 45 connectors     200     Nos     D-LINK / TP	cameras can be connected with 160M, incoming			HONEYWE			
x2160)resolution, up to 8 SATA interface, support HDD hot scrap with RAIDO,1,5,6,10 detection alarm and VCA search, Support H.265/H.264/MPEG4 video formats.     BOSCH       Supply of 4000 GB WD Purple 24X7     6     Nos     WD/SEAGA       Surveillance Hard Disc     10     Nos     ISI MARK       Creation of Power Supply 5AMP including mcb., MCCB, wire casing and capint etc. as required as per site conditions     10     Nos     ISI MARK       Supply of 5.8 GHz wireless CPE with 11dBi integrated antenna, 30 degree transmission, weather proof IP 66 rating     0     Nos     D Link / TP Link/ Net gear       Supply of 42" Commercial LED have resolution all accessories such as connecting cable as per requirement for connection with Camera     3     Nos     Samsung / LG / Sony/       Supply of C1 6 cable for internet connection with the cable for internet connection with the cable shall be mounted inside the PVC Conduit     1800     RMT     D-LINK / Terabyte       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     10     Nos     D-LINK / Ibal/ Tripp Lite /       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     Nos     D-LINK / TP       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     Nos     D-LINK / TP	bandwidth, third party network cameras support			LL,			
support HDD hot scrap with RAIDO,1.5.6,10     detection alarm and VCA search, Support       H.265/H.264/MPEG4 video formats.     Nos       Supply of 4000 GB WD Purple 24X7     6     Nos       Creation of Power Supply 5AMP including mcb, 10     Nos     ISI MARK       MCCB, wire casing and capint etc. as required as per site conditions     D Link / TP       Supply of 5.8 GHz wireless CPE with 11dBi integrated antenna ,30 degree transmission, weather proof IP 66 rating     Nos     D Link / TP       Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna ,90 degree transmission, weather proof With DP66 rating     Nos     D Link / TP       Supply of 42" Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     Nos     Samsung / LG / Sony/       Supply of Ca 6 cable for internet connection with Camera     Nos     MRT     D-LINK / Terabyte       Supply of Weather Proof junction Box made of 10     Nos     D-LINK / Terabyte     Nos     D-LINK / Terabyte       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     Nos     D-LINK / Ibal/ Tripp     Lite /       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     Nos     D-LINK / Ibal/ Tripp     Lite /       Supply of Power	2-ch HDMI,2-ch VGA,HMDI1 at up to 4k(3840			HIKVISION,			
detection alarm and VCA search, Support     H.265/H.264/MPEG4 video formats.       Supply of 4000 GB WD Purple 24X7     6     Nos       Surveillance Hard Disc     10     Nos       Creation of Power Supply 5AMP including mcb, 10     Nos     ISI MARK       MCCB, wire casing and capint etc. as required as per site conditions     D     Link / TP       Supply of 5.8 GHz wireless CPE with 11dBi integrated antenna, 30 degree transmission, weather proof IP 66 rating     D     Link / TP       Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna, 90 degree transmission, weather proof Wh IP66 rating     Nos     D Link / TP       Supply of 42° Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     Nos     Samsung / LG / Sony/       Supply of Cat 6 cable for interrat connection with Camera     10     Nos     Samsung / LG / Sony/       Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement     10     Nos     Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement     10     Nos       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     D-LINK/I     D     Link / Tripp Link / Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     Nos<	x2160)resolution, up to 8 SATA interface,			BOSCH			
H.265/H.264/MPEG4 video formats.     Image: state of the second s	support HDD hot scrap with RAIDO,1,5,6,10						
Supply of 4000 GB WD Purple 24X7     6     Nos     WD/SEAGA       Surveillance Hard Disc     TE	detection alarm and VCA search, Support						
Surveillance Hard Disc     TE       Creation of Power Supply 5AMP including mcb , 10     Nos     ISI MARK       MCCB, wire casing and capint etc. as required as per site conditions     D Link / TP       Supply of 5.8 GHz wireless CPE with 11dBi integrated antenna ,30 degree transmission, weather proof IP 66 rating     10     Nos     D Link / TP       Supply of 5.8 GHz wireless access point with 18 bi integrates antenna , 90 degree transmission, weather proof with IP66 rating     Nos     D Link / TP       Supply of 42" Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     3     Nos     Samsung / LG / Sony/       Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit     1800     RMT     D-LINK / Terabyte       Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement     10     Nos     D-LINK / I ball/ Tripp Lite / Supply of Power Cable 2 core armored cable in PVC Conduit     1     Nos     D-LINK / I ball/ Tripp Lite / Supply of Cable in PVC Conduit       Supply of RJ 45 connectors     250     RMT     VILNK / TP     VILNK / TP	H.265/H.264/MPEG4 video formats.						
Creation of Power Supply 5AMP including mcb.,     10     Nos     ISI MARK       MCCB, wire casing and capint etc. as required as per site conditions     10     Nos     ISI MARK       Supply of 5.8 GHz wireless CPE with 11dBi integrated antenna, 30 degree transmission, weather proof IP 66 rating     10     Nos     D Link / TP Link/ Net gear       Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna , 90 degree transmission, weather proof with IP66 rating     5     Nos     D Link / TP Link/ Net gear       Supply of 42" Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     8     Nos     Samsung / LG / Sony/       Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement Supply of Fugh grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     10     Nos     D-LINK / I ball/ Tripp Lite /       Supply of Power Cable 2 core armored cable in PVC Conduit     150     RMT     NMT     With excavation of ground     150     RMT       Supply of RJ 45 connectors     200     Nos     D-LINK / TP     Ext / TP	Supply of 4000 GB WD Purple 24X7	6	Nos	WD/SEAGA			
MCCB, wire casing and capint etc. as required as per site conditions     Image: Supply of 5.8 GHz wireless CPE with 11dBi integrated antenna ,30 degree transmission, weather proof IP 66 rating     Image: Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna ,90 degree transmission, weather proof with IP66 rating     Image: Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna ,90 degree transmission, weather proof with IP66 rating     Image: Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna ,90 degree transmission, weather proof with IP66 rating     Image: Supply of 5.8 GHz wireless access point with 18 dbi integrates antenna ,90 degree transmission, weather proof with IP66 rating     Image: Supply of 42" Commercial LED have resolution 13 do x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     Image: Supply of Cat 6 cable for internet connection with Camera     Image: Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement     Image: Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     Image: Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     Image: Supply of RJ 45 connectors     Image: Supply RJ 45 connectors	Surveillance Hard Disc			TE			
per site conditions     Image: Conditions     Image: Conditions     Image: Conditions       Supply of 5.8 GHz wireless CPE with 11dBi     10     Nos     D Link / TP       integrated antenna ,30 degree transmission,     gear     gear       Supply of 5.8 GHz wireless access point with 18     5     Nos     D Link / TP       dbi integrates antenna , 90 degree transmission,     gear     Image: Conditions     Image: Conditions       Supply of 5.8 GHz wireless access point with 18     5     Nos     D Link / TP     Link / Cisco       weather proof with IP66 rating     Image: Conditions     3     Nos     Samsung /     Link / Cisco       Supply of 42" Commercial LED have resolution     3     Nos     Samsung /     LG / Sony/     Image: Conditions       all accessories such as connecting cable as per requirement for connection with Camera     1800     RMT     D-LINK /       Supply of Cat 6 cable for internet connection     1800     RMT     Terabyte     Terabyte       mounted inside the PVC Conduit     Image: Conduct the proof junction Box made of plastic of appropriate size as per site requirement     Image: Conduct the proof plastic of appropriate size as per site requirement     Supply of Power Cable 2 core armored       supply of Power Cable 2 core armored     Imagee	Creation of Power Supply 5AMP including mcb,	10	Nos	ISI MARK			
Supply of 5.8 GHz wireless CPE with 11dBi     10     Nos     D Link / TP       integrated antenna ,30 degree transmission,     ueather proof IP 66 rating     Link / Net     gear       Supply of 5.8 GHz wireless access point with 18     5     Nos     D Link / TP       dbi integrates antenna ,90 degree transmission,     weather proof with IP66 rating     Link / Cisco       Supply of 42" Commercial LED have resolution     3     Nos     Samsung /       1366 x 768 with 2 HDMI ports, 2 USB ports with     LG / Sony/     LG / Sony/       all accessories such as connecting cable as per     requirement for connection with Camera     1800     RMT     D-LINK /       Supply of Cat 6 cable for internet connection     1800     RMT     D-LINK /     Terabyte       mounted inside the PVC Conduit     10     Nos     D-LINK /     Terabyte       Supply of High grade CCTV NVR/DVR cabinet     1     Nos     D-LINK/ I     ball/ Tripp       accessories     Supply of Power Cable 2 core armored     150     RMT     without excavation     250     RMT       Supply of RJ 45 connectors     200     Nos     D-LINK / TP     Supply of RJ 45 connectors     Supply of Nos     Suply	MCCB, wire casing and capint etc. as required as						
integrated antenna ,30 degree transmission,     Link / Net       weather proof IP 66 rating     gear       Supply of 5.8 GHz wireless access point with 18     5     Nos     D Link / TP       dbi integrates antenna , 90 degree transmission,     weather proof with IP66 rating     Link / Cisco       Supply of 42" Commercial LED have resolution     3     Nos     Samsung /       1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     Nos     Samsung /       Supply of Cat 6 cable for internet connection     1800     RMT     D-LINK /       wounted inside the PVC Conduit     1800     RMT     Terabyte       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     1     Nos     D-LINK / I ball/ / Tripp       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     150     RMT     with excavation of ground     150     RMT       Supply of RJ 45 connectors     200     Nos     D-LINK / TP     D	per site conditions						
weather proof IP 66 rating     gear       Supply of 5.8 GHz wireless access point with 18     5     Nos     D Link / TP       dbi integrates antenna , 90 degree transmission,     weather proof with IP66 rating     Link/ Cisco       Supply of 42" Commercial LED have resolution     3     Nos     Samsung /       1366 x 768 with 2 HDMI ports, 2 USB ports with     all accessories such as connecting cable as per     EG / Sony/       requirement for connection with Camera     I800     RMT     D-LINK /       Supply of Cat 6 cable for internet connection     1800     RMT     D-LINK /       with the camera and NVR. The cable shall be     mounted inside the PVC Conduit     Terabyte       Supply of High grade CCTV NVR/DVR cabinet     1     Nos     D-LINK / I       ball/ Tripp     Lite /     Supply of Power Cable 2 core armored     Lite /       Supply of Power Cable 2 core armored     250     RMT     Lite /       without excavation of ground     150     RMT     Supply of PLINK / TP	Supply of 5.8 GHz wireless CPE with 11dBi	10	Nos	D Link / TP			
Supply of 5.8 GHz wireless access point with 18     5     Nos     D Link / TP       dbi integrates antenna , 90 degree transmission,     weather proof with IP66 rating     Supply of 42" Commercial LED have resolution     3     Nos     Samsung /       1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     Nos     Samsung /     LG / Sony/       Supply of Cat 6 cable for internet connection     1800     RMT     D-LINK /     Terabyte       with the camera and NVR. The cable shall be mounted inside the PVC Conduit     10     Nos     D-LINK /     Terabyte       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     1     Nos     D-LINK / I     ball / Tripp       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     150     RMT     WT     VC Conduit       with excavation of ground     150     RMT     Supply of PLINK / TP     VC Conduit	integrated antenna ,30 degree transmission,			Link/ Net			
dbi integrates antenna , 90 degree transmission, weather proof with IP66 rating     Link/ Cisco       Supply of 42" Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     3     Nos     Samsung / LG / Sony/       Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit     1800     RMT     D-LINK / Terabyte       Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement     10     Nos     D-LINK / I ball/ Tripp       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     1     Nos     D-LINK / I ball/ Tripp       Supply of RJ 45 connectors     200     Nos     D-LINK / TP	weather proof IP 66 rating			gear			
weather proof with IP66 ratingImage: Supply of 42" Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with CameraNosSamsung / LG / Sony/Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit1800RMTD-LINK / TerabyteSupply of Weather Proof junction Box made of plastic of appropriate size as per site requirement10NosD-LINK / I ball/ Tripp Lite /Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories1NosD-LINK/ I ball/ Tripp Lite /Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit150RMTMTwithout excavation250RMTD-LINK / TP	Supply of 5.8 GHz wireless access point with 18	5	Nos	D Link / TP			
Supply of 42" Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     3     Nos     Samsung / LG / Sony/       Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit     1800     RMT     D-LINK / Terabyte       Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement     10     Nos     D-LINK / I ball/ Tripp Lite /       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     1     Nos     D-LINK/ I ball/ Tripp Lite /       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit with excavation of ground     150     RMT       without excavation     250     RMT     D-LINK / TP	dbi integrates antenna, 90 degree transmission,			Link/ Cisco			
Supply of 42" Commercial LED have resolution 1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     3     Nos     Samsung / LG / Sony/       Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit     1800     RMT     D-LINK / Terabyte       Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement     10     Nos     D-LINK / I ball/ Tripp Lite /       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     1     Nos     D-LINK/ I ball/ Tripp Lite /       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit with excavation of ground     150     RMT       without excavation     250     RMT     D-LINK / TP	weather proof with IP66 rating						
1366 x 768 with 2 HDMI ports, 2 USB ports with all accessories such as connecting cable as per requirement for connection with Camera     LG / Sony/       Supply of Cat 6 cable for internet connection with the camera and NVR. The cable shall be mounted inside the PVC Conduit     1800     RMT     D-LINK / Terabyte       Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement     10     Nos     D-LINK / I ball/ Tripp       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     1     Nos     D-LINK / I ball/ Tripp       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     150     RMT     MT       without excavation     250     RMT     D-LINK / TP     D		3	Nos	Samsung /			
all accessories such as connecting cable as per requirement for connection with Camera     Image: style styl							
requirement for connection with Camera     Image: style styl				-			
Supply of Cat 6 cable for internet connection     1800     RMT     D-LINK /       with the camera and NVR. The cable shall be     nearest and NVR. The cable shall be     Terabyte       mounted inside the PVC Conduit     10     Nos     Nos       Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement     10     Nos       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     1     Nos     D-LINK/ I       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     150     RMT     MT       with excavation of ground     150     RMT     Supply of RJ 45 connectors     200     Nos     D-LINK / TP							
with the camera and NVR. The cable shall be mounted inside the PVC ConduitTerabyteSupply of Weather Proof junction Box made of plastic of appropriate size as per site requirement10NosSupply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories1NosSupply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit1Noswith excavation of ground150RMTwithout excavation250RMTSupply of RJ 45 connectors200NosD-LINK / TP1		1800	RMT	D-LINK /			
mounted inside the PVC Conduit   Image: Conduct of appropriate size as per site requirement   Nos     Supply of Weather Proof junction Box made of plastic of appropriate size as per site requirement   10   Nos     Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories   1   Nos     Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit   Image: Conduit of appropriate size as per site requirement   Image: Conduit site size as per site requirement     with excavation of ground   150   RMT   Image: Conduit size size size size size size size size				Terabyte			
plastic of appropriate size as per site requirement     Image: Supply of High grade CCTV NVR/DVR cabinet     Image: Nos     D-LINK/ I       box with locking arrangement complete with all accessories     Image: Nos     D-LINK/ I     ball/ Tripp       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     Image: Nos     Image: Nos     Image: Nos       with excavation of ground     150     RMT     Image: Nos     Image: Nos     Image: Nos       Supply of RJ 45 connectors     200     Nos     D-LINK / TP     Image: Nos     Image: Nos	mounted inside the PVC Conduit			5			
plastic of appropriate size as per site requirement     Image: size as per site requirement       Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     Image: size as per site requirement       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     Image: size as per site requirement       with excavation of ground     150     RMT       without excavation     250     RMT       Supply of RJ 45 connectors     200     Nos     D-LINK / TP	Supply of Weather Proof junction Box made of	10	Nos				
Supply of High grade CCTV NVR/DVR cabinet box with locking arrangement complete with all accessories     1     Nos     D-LINK/ I ball/ Tripp Lite /       Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit     Image: Conduct of the second seco							
box with locking arrangement complete with all ball/ Tripp accessories ball/ Tripp Lite / Lite / L		1	Nos	D-LINK/ I			
accessories   Lite /     Supply of Power Cable 2 core armored cable including mounting of Cable in PVC Conduit   Ite /     with excavation of ground   150     RMT   Ite /     without excavation   250     Supply of RJ 45 connectors   200     Nos   D-LINK / TP							
Supply of Power Cable 2 core armored       cable including mounting of Cable in PVC Conduit       with excavation of ground     150       RMT       without excavation     250       Supply of RJ 45 connectors     200       Nos     D-LINK / TP							
cable including mounting of Cable in PVC Conduit      with excavation of ground   150     without excavation   250     RMT     Supply of RJ 45 connectors   200     Nos   D-LINK / TP		1	1	•			
with excavation of ground150RMTwithout excavation250RMTSupply of RJ 45 connectors200NosD-LINK / TP		it					
without excavation   250   RMT     Supply of RJ 45 connectors   200   Nos   D-LINK / TP			RMT				
Supply of RJ 45 connectors 200 Nos D-LINK / TP							
				D-LINK / TP			

Supply of MS Pole of 3"-4" duly painted along with construction of civil base foundation and all accessories for mounting of camera. The height of pole shall be 4.5 mtrs - 6 mtrs approx.	12	Nos			
Supply of metal saddle 25mm/ 30mm with base plate and screw	8000	Nos			
Supply of 10/100/1000 Giga PoE port network switch :-8 port	12	Nos	D-LINK / Gigabyte / Net gear/ TP Link		
Installation & Commissioning charges for all the above material.	1	Nos			

# Name & Signature of Tenderers/ Company with Seal